



c-Myb (Acetyl Lys471) rabbit pAb

Catalog No	YP-Ab-00916
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB; ELISA
Gene Name	MYB
Protein Name	c-Myb (Acetyl Lys471)
Immunogen	Synthesized peptide derived from human c-Myb (Acetyl Lys471)
Specificity	This antibody detects endogenous levels of Human,Mouse c-Myb (Acetyl Lys471)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Transcriptional activator Myb (Proto-oncogene c-Myb)
Observed Band	70kD
Cell Pathway	Nucleus .
Tissue Specificity	
Function	transcription, regulation of transcription, DNA-dependent, regulation of transcription, regulation of RNA metabolic process,
Background	domain:Comprised of 3 domains; an N-terminal DNA-binding domain, a centrally located transcriptional activation domain and a C-terminal domain involved in transcriptional repression.,function:Transcriptional activator; DNA-binding protein that specifically recognize the sequence 5'-YAAC[GT]G-3'. Plays an important role in the control of proliferation and differentiation of hematopoietic progenitor cells.,PTM:Phosphorylated by NLK on multiple sites, which induces proteasomal degradation.,PTM:Ubiquitinated; mediated by SIAH1 and leading to its subsequent proteasomal degradation.,similarity:Contains 3 HTH myb-type DNA-binding domains.,subunit:Binds MYBBP1A. Interacts with HIPK2, MAF and NLK.,
matters needing attention	Avoid repeated freezing and thawing!



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images