

## MIA Polyclonal Antibody

Catalog No	YP-Ab-04358
Isotype	lgG
Reactivity	Human;Rat;Mouse;
Applications	IHC;IF;ELISA
Gene Name	MIA
Protein Name	Melanoma-derived growth regulatory protein (Melanoma inhibitory activity protein)
Immunogen	Synthetic peptide from human protein at AA range: 90-131
Specificity	The antibody detects endogenous MIA
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by
Dilution	affinity-chromatography using epitope-specific immunogen. IHC-p 1:50-200, ELISA 1:10000-20000. IF 1:50-200
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Melanoma-derived growth regulatory protein (Melanoma inhibitory activity protein)
Observed Band	
Cell Pathway	Secreted.
Tissue Specificity	All malignant melanoma cell lines tested and infrequently in glioma cell lines.
Function	function:Elicits growth inhibition on melanoma cells in vitro as well as some other neuroectodermal tumors, including gliomas.,PTM:May possess two intramolecular disulfide bonds.,similarity:Belongs to the MIA/OTOR family.,similarity:Contains 1 SH3 domain.,tissue specificity:All malignant melanoma cell lines tested and infrequently in glioma cell lines.,
Background	function:Elicits growth inhibition on melanoma cells in vitro as well as some other neuroectodermal tumors, including gliomas.,PTM:May possess two intramolecular disulfide bonds.,similarity:Belongs to the MIA/OTOR family.,similarity:Contains 1 SH3 domain.,tissue specificity:All malignant melanoma cell lines tested and infrequently in glioma cell lines.,
matters needing attention	Avoid repeated freezing and thawing!



## UpingBio technology Co.,Ltd


🔇 Tel: 400-999-8863 📼 Emall:Upingbio.163.com

Website: www.upingBio.com

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Immunohistochemical analysis of paraffin-embedded Human-heart, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded Human-heart, antibody was diluted at 1:100