

Tel: 400-999-8863 
■ Email:Upingbio.163.com



## β-actin Monoclonal Antibody(5B7), Cy3 Conjugated

YP-Ab-04708
IgG
Human;Rat;Mouse;Mk;Dg;Ch;Hamster;Rabbit;Insect
IF;WB;IHC
ACTB
Actin cytoplasmic 1
β-actin Monoclonal Antibody(5B7) Cy3 Conjugated specially designed for your Immunofluorescence analysis.
Liquid in PBS, pH 7.4, containing 0.02% sodium azide as preservative and 50% Glycerol.
Monoclonal, Mouse IgG1
The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows: WB: 1:5000, IHC: 1:200.
1 mg/ml
≥90%
-20°C/1 year
АСТВ
Cytoplasm, cytoskeleton . Nucleus . Localized in cytoplasmic mRNP granules containing untranslated mRNAs
B-cell lymphoma,Brain,Cajal-Retzius cell,Eye,Fetal brain cortex,Foreskin,Hepatocellular car
disease:Defects in ACTB are a cause of dystonia juvenile-onset (DYTJ) [MIM:607371]. DYTJ is a form of dystonia with juvenile onset. Dystonia is defined by the presence of sustained involuntary muscle contraction, often leading to abnormal postures. DYTJ patients manifest progressive, generalized, dopa-unresponsive dystonia, developmental malformations and sensory hearing loss.,function:Actins are highly conserved proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells.,miscellaneous:In vertebrates 3 main groups of actin isoforms, alpha, beta and gamma have been identified. The alpha actins are found in muscle tissues and are a major constituent of the contractile apparatus. The beta and gamma actins coexist in most cell types as components of the cytoskeleton and as mediators of internal cell motility.,similarity:Belongs to the



## UpingBio technology Co.,Ltd

🕻 Tel: 400-999-8863 🗷 Email:Upingbio.163.com



Background	This gene encodes one of six different actin proteins. Actins are highly conserved proteins that are involved in cell motility, structure, and integrity. This actin is a major constituent of the contractile apparatus and one of the two nonmuscle cytoskeletal actins. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images