

Website: www.upingBio.com

PXDC2 Polyclonal Antibody

Catalog No	YP-Ab-05001
lsotype	lgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	PLXDC2 TEM7R UNQ2514/PRO6003
Protein Name	Plexin domain-containing protein 2 (Tumor endothelial marker 7-related protein)
Immunogen	Synthesized peptide derived from human protein . at AA range: 50-130
Specificity	PXDC2 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
	, mg, m
Purity	≥90%
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year 58kD
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year 58kD Membrane ; Single-pass type I membrane protein . Expressed in the endothelial cells of the stroma but not in the endothelial cells of
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	 ≥90% -20°C/1 year 58kD Membrane ; Single-pass type I membrane protein . Expressed in the endothelial cells of the stroma but not in the endothelial cells of normal colonic tissue. function:May play a role in tumor angiogenesis.,similarity:Belongs to the plexin family.,similarity:Contains 1 PSI domain.,subunit:Interacts with CTTN.,tissue specificity:Expressed in the endothelial cells of the stroma but not in the
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	 ≥90% -20°C/1 year 58kD Membrane ; Single-pass type I membrane protein . Expressed in the endothelial cells of the stroma but not in the endothelial cells of normal colonic tissue. function:May play a role in tumor angiogenesis.,similarity:Belongs to the plexin family.,similarity:Contains 1 PSI domain.,subunit:Interacts with CTTN.,tissue specificity:Expressed in the endothelial cells of the stroma but not in the stroma but not in the stroma but not in the endothelial cells of the stroma but not in the stroma but not in the endothelial cells of the stroma but not in the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in the endothelial cells of the stroma but not in the specificity:Expressed in t



🔇 Tel: 400-999-8863 📼 Emall:Upingbio.163.com

Ø Website: www.upingBio.com

Products Images