





DLL1 Polyclonal Antibody

YP-Ab-06840
IgG
Human;Rat;Mouse
WB;ELISA
DLL1 UNQ146/PRO172
Delta-like protein 1 (Drosophila Delta homolog 1) (Delta1) (H-Delta-1)
Synthesized peptide derived from part region of human protein
DLL1 Polyclonal Antibody detects endogenous levels of protein.
Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Polyclonal, Rabbit,IgG
The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
WB 1:500-2000 ELISA 1:5000-20000
1 mg/ml
≥90%
-20°C/1 year
79kD
Apical cell membrane; Single-pass type I membrane protein. Cell junction, adherens junction. Membrane raft. Distributed around adherens junction in the apical endfeet through interactions with MAGI1
Expressed in heart and pancreas, with lower expression in brain and muscle and almost no expression in placenta, lung, liver and kidney.
function:Acts as a ligand for Notch receptors. Blocks the differentiation of progenitor cells into the B-cell lineage while promoting the emergence of a population of cells with the characteristics of a T-cell/NK-cell precursor.,PTM:Ubiquitinated by MIB (MIB1 or MIB2), leading to its endocytosis and subsequent degradation.,similarity:Contains 1 DSL domain.,similarity:Contains 8 EGF-like domains.,subunit:Interacts with Notch receptors.,tissue specificity:Expressed in heart and pancreas, with lower expression in brain and muscle and almost no expression in placenta, lung, liver and kidney.,



UpingBio technology Co.,Ltd

€ Tel: 400-999-8863 🛎 Email:UpingBio@163.com



matters	needing
attentio	

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images