

€ Tel: 400-999-8863 🗷 Emall:Upingbio.163.com



CCD80 Polyclonal Antibody

Catalog No	YP-Ab-06966
Isotype	IgG
Reactivity	Human;Rat;Mouse
Applications	WB;ELISA
Gene Name	CCDC80 DRO1 URB HBE245
Protein Name	Coiled-coil domain-containing protein 80 (Down-regulated by oncogenes protein 1) (Up-regulated in BRS-3 deficient mouse homolog)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	CCD80 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	104kD
Cell Pathway	Secreted, extracellular space, extracellular matrix .
Tissue Specificity	Expressed in dermal papilla and dermal fibroblasts (at protein level). Expressed in heart, thymus, placenta, pancreas, colon, epithelium, spleen and osteoblasts.
Function	
	function:Promotes cell adhesion and matrix assembly.,induction:Down-regulated in cancer and after osteoblastic differentiation. Up-regulated by dihydrotestosterone (DHT).,PTM:Phosphorylated.,similarity:Belongs to the CCDC80 family.,subunit:Binds to various extracellular matrix proteins.,tissue specificity:Expressed in dermal papilla and dermal fibroblasts (at protein level). Expressed in heart, thymus, placenta, pancreas, colon, epithelium, spleen and osteoblasts.,



UpingBio technology Co.,Ltd

€ Tel: 400-999-8863 🗷 Emall:Upingbio.163.com



matters needing	ı
attention	

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images