







PLAP Polyclonal Antibody

Catalog No	YP-Ab-07305
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB;ELISA
Gene Name	PLAA PLAP
Protein Name	Phospholipase A-2-activating protein (PLA2P) (PLAP)
Immunogen	Synthesized peptide derived from human protein . at AA range: 531-580
Specificity	PLAP Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
Storage Stability	
Storage Stability Synonyms	-20°C/1 year
Storage Stability Synonyms Observed Band	-20°C/1 year 87kD Nucleus . Cytoplasm . Cell junction, synapse . Recruited to damaged lysosomes
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year 87kD Nucleus . Cytoplasm . Cell junction, synapse . Recruited to damaged lysosomes decorated with K48-linked ubiquitin chains
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year 87kD Nucleus . Cytoplasm . Cell junction, synapse . Recruited to damaged lysosomes decorated with K48-linked ubiquitin chains Fetal brain,Kidney,Testis,Uterus, function:Plays an important role in the regulation of specific inflammatory disease processes.,sequence caution:Translated as Gln.,similarity:Belongs to the WD repeat PLAP family.,similarity:Contains 1 PUL
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year 87kD Nucleus . Cytoplasm . Cell junction, synapse . Recruited to damaged lysosomes decorated with K48-linked ubiquitin chains Fetal brain,Kidney,Testis,Uterus, function:Plays an important role in the regulation of specific inflammatory disease processes.,sequence caution:Translated as Gln.,similarity:Belongs to the WD repeat PLAP family.,similarity:Contains 1 PFU domain.,similarity:Contains 1 PUL domain.,similarity:Contains 7 WD repeats., function:Plays an important role in the regulation of specific inflammatory disease processes.,sequence caution:Translated as Gln.,similarity:Belongs to the WD repeat PLAP family.,similarity:Contains 1 PFU domain.,similarity:Contains 1 PUL
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background	87kD Nucleus . Cytoplasm . Cell junction, synapse . Recruited to damaged lysosomes decorated with K48-linked ubiquitin chains Fetal brain,Kidney,Testis,Uterus, function:Plays an important role in the regulation of specific inflammatory disease processes.,sequence caution:Translated as Gln.,similarity:Belongs to the WD repeat PLAP family.,similarity:Contains 1 PFU domain.,similarity:Contains 1 PUL domain.,similarity:Contains 7 WD repeats., function:Plays an important role in the regulation of specific inflammatory disease processes.,sequence caution:Translated as Gln.,similarity:Belongs to the WD repeat PLAP family.,similarity:Contains 1 PFU domain.,similarity:Contains 1 PUL domain.,similarity:Contains 7 WD repeats.,



UpingBio technology Co.,Ltd

🕻 Tel: 400-999-8863 📾 Email:UpingBio@163.com

Website: www.upingBio.com

Products Images