

Website: www.upingBio.com

GPR45 Polyclonal Antibody

Catalog No	YP-Ab-07382
Isotype	lgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	GPR45
Protein Name	Probable G-protein coupled receptor 45 (PSP24-1) (PSP24-alpha)
Immunogen	Synthesized peptide derived from human protein . at AA range: 110-190
Specificity	GPR45 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Dilution Concentration	WB 1:500-2000 ELISA 1:5000-20000 1 mg/ml
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
Concentration Purity Storage Stability	1 mg/ml ≥90%
Concentration Purity Storage Stability Synonyms	1 mg/ml ≥90% -20°C/1 year
Concentration Purity Storage Stability Synonyms Observed Band	1 mg/ml ≥90% -20°C/1 year 40kD
Concentration Purity Storage Stability Synonyms Observed Band Cell Pathway	1 mg/ml ≥90% -20°C/1 year 40kD Cell membrane; Multi-pass membrane protein. Expressed in brain; detected in the basal forebrain, frontal cortex, and caudate,
Concentration Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	1 mg/ml ≥90% -20°C/1 year 40kD Cell membrane; Multi-pass membrane protein. Expressed in brain; detected in the basal forebrain, frontal cortex, and caudate, but not in thalamus, hippocampus, or putamen. function:Orphan receptor. May play a role in brain function.,similarity:Belongs to the G-protein coupled receptor 1 family.,tissue specificity:Expressed in brain; detected in the basal forebrain, frontal cortex, and caudate, but not in thalamus,



UpingBio technology Co.,Ltd


S Tel: 400-999-8863 ≡ Email:UpingBio@163.com

Website: www.upingBio.com

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western blot analysis of lysates from Jarkat cells, primary antibody was diluted at 1:1000, 4°over night