

CCD15 rabbit pAb


Catalog No	YP-Ab-08103
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	CCDC15
Protein Name	CCD15
Immunogen	Synthesized peptide derived from human CCD15 AA range: 747-797
Specificity	This antibody detects endogenous levels of CCD15 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.218% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000
O a management in m	A war door
Concentration	1 mg/ml
Purity	1 mg/ml ≥90%
	<u> </u>
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
Purity Storage Stability Synonyms	≥90% -20°C/1 year Coiled-coil domain-containing protein 15
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year Coiled-coil domain-containing protein 15 105kD
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year Coiled-coil domain-containing protein 15 105kD centrosome,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Coiled-coil domain-containing protein 15 105kD centrosome, Lymph,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Coiled-coil domain-containing protein 15 105kD centrosome, Lymph,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year Coiled-coil domain-containing protein 15 105kD centrosome, Lymph, sequence caution:Contaminating sequence. Potential poly-A sequence.,







Products Images



Western blot analysis of lysates from Hela cells, primary antibody was diluted at 1:1000, 4°over night