

🔇 Tel: 400-999-8863 💌 Email:UpingBio@163.com

Website: www.upingBio.com

CCD23 rabbit pAb

Catalog No	YP-Ab-08613
Isotype	lgG
Reactivity	Human; Mouse;Rat
Applications	IHC;IF
Gene Name	CCDC23
Protein Name	CCD23
Immunogen	Synthesized peptide derived from human CCD23 AA range: 13-63
Specificity	This antibody detects endogenous levels of CCD23 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	IHC-p 1: 50-200. IF 1:50-200
Concentration	1 mg/ml
Concentration	T mg/m
Purity	≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90% -20°C/1 year Cytoplasm . Secreted . Cytoplasm, cytoskeleton . Detected both intracellularly
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year Cytoplasm . Secreted . Cytoplasm, cytoskeleton . Detected both intracellularly and extracellularly (By similarity). Within cells, localizes mainly to the apical part of
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year Cytoplasm . Secreted . Cytoplasm, cytoskeleton . Detected both intracellularly and extracellularly (By similarity). Within cells, localizes mainly to the apical part of
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Cytoplasm . Secreted . Cytoplasm, cytoskeleton . Detected both intracellularly and extracellularly (By similarity). Within cells, localizes mainly to the apical part of the cell (By similarity)
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Cytoplasm . Secreted . Cytoplasm, cytoskeleton . Detected both intracellularly and extracellularly (By similarity). Within cells, localizes mainly to the apical part of the cell (By similarity)
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year Cytoplasm . Secreted . Cytoplasm, cytoskeleton . Detected both intracellularly and extracellularly (By similarity). Within cells, localizes mainly to the apical part of the cell (By similarity) similarity:Belongs to the CCDC23 family.,




UpingBio technology Co.,Ltd

🔇 Tel: 400-999-8863 💌 Email:UpingBio@163.com



Products Images



Immunohistochemical analysis of paraffin-embedded human liver cancer. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).