








## DCA15 rabbit pAb

Catalog No	YP-Ab-08841
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	DCAF15 C19orf72
Protein Name	DCA15
Immunogen	Synthesized peptide derived from human DCA15 AA range: 251-301
Specificity	This antibody detects endogenous levels of DCA15 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Synonyms Observed Band	
Observed Band	
Observed Band Cell Pathway	function:May be involved in ubiquitination and degradation through a DBB1-CUL4 E3 protein-ubiquitin ligase.,pathway:Protein modification; protein ubiquitination.,subunit:Interacts with DDB1 and CUL4A.,
Observed Band Cell Pathway Tissue Specificity	function:May be involved in ubiquitination and degradation through a DBB1-CUL4 E3 protein-ubiquitin ligase.,pathway:Protein modification; protein ubiquitination.,subunit:Interacts with DDB1 and CUL4A.,
Observed Band Cell Pathway Tissue Specificity Function	function:May be involved in ubiquitination and degradation through a DBB1-CUL4 E3 protein-ubiquitin ligase.,pathway:Protein modification; protein ubiquitination.,subunit:Interacts with DDB1 and CUL4A.,  Avoid repeated freezing and thawing!
Observed Band Cell Pathway Tissue Specificity Function Background matters needing	E3 protein-ubiquitin ligase.,pathway:Protein modification; protein ubiquitination.,subunit:Interacts with DDB1 and CUL4A.,

## **Products Images**



Western blot analysis of lysates from HEK293 cells, primary antibody was diluted at 1:1000, 4° over night