



## NUD16 rabbit pAb

<b>Catalog No</b>	YP-Ab-09460
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse
<b>Applications</b>	WB
<b>Gene Name</b>	NUDT16
<b>Protein Name</b>	U8 snoRNA-decapping enzyme (EC 3.6.1.62) (Nucleoside diphosphate-linked moiety X motif 16) (Nudix motif 16) (U8 snoRNA-binding protein H29K) (m7GpppN-mRNA hydrolase)
<b>Immunogen</b>	Synthesized peptide derived from human NUD16 AA range: 2-52
<b>Specificity</b>	This antibody detects endogenous levels of human NUD16
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
<b>Dilution</b>	WB 1:1000-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	
<b>Cell Pathway</b>	Nucleus . Nucleus, nucleoplasm . Nucleus, nucleolus . Cytoplasm . Localized predominantly in the cytoplasm (PubMed:21070968). Localized in nucleolus, and in a minor proportion in distinct foci in the nucleoplasm (By similarity). .
<b>Tissue Specificity</b>	Expressed strongly in lung, kidney, adrenal gland, testis, heart and brain.
<b>Function</b>	
<b>Background</b>	
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images