

**(** Tel: 400-999-8863 **(** Emall:Upingbio.163.com





## VP13B rabbit pAb

Catalog No	YP-Ab-09560	
Isotype	IgG	
Reactivity	Human;Mouse	
Applications	WB	
Gene Name	VPS13B CHS1 COH1 KIAA0532	
Protein Name	Vacuolar protein sorting-associated protein 13B (Cohen syndrome protein 1)	
Immunogen	Synthesized peptide derived from human VP13B AA range: 3593-3643	
Specificity	This antibody detects endogenous levels of human VP13B	
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.	
Source	Polyclonal, Rabbit,IgG	
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.	
Dilution	WB 1:1000-2000	
Concentration	1 mg/ml	
<b>.</b>	≥90%	
Purity	≥90%	
Storage Stability	≥90% -20°C/1 year	
Storage Stability		
Storage Stability Synonyms		
Storage Stability Synonyms Observed Band	-20°C/1 year  Widely expressed. There is apparent differential expression of different transcripts. In fetal brain, lung, liver, and kidney, two transcripts of 2 and 5 kb are identified. These transcripts are also seen in all adult tissues analyzed. A larger	
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year  Widely expressed. There is apparent differential expression of different transcripts. In fetal brain, lung, liver, and kidney, two transcripts of 2 and 5 kb are identified. These transcripts are also seen in all adult tissues analyzed. A larger transcript (12-14 kb) is expressed in prostate, testis, ovary, and colon in the adult. Expression is very low in adult brain tissue. Isoform 1 and isoform 2 are	
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year  Widely expressed. There is apparent differential expression of different transcripts. In fetal brain, lung, liver, and kidney, two transcripts of 2 and 5 kb are identified. These transcripts are also seen in all adult tissues analyzed. A larger transcript (12-14 kb) is expressed in prostate, testis, ovary, and colon in the adult. Expression is very low in adult brain tissue. Isoform 1 and isoform 2 are	
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year  Widely expressed. There is apparent differential expression of different transcripts. In fetal brain, lung, liver, and kidney, two transcripts of 2 and 5 kb are identified. These transcripts are also seen in all adult tissues analyzed. A larger transcript (12-14 kb) is expressed in prostate, testis, ovary, and colon in the adult. Expression is very low in adult brain tissue. Isoform 1 and isoform 2 are	
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity  Function Background matters needing	-20°C/1 year  Widely expressed. There is apparent differential expression of different transcripts. In fetal brain, lung, liver, and kidney, two transcripts of 2 and 5 kb are identified. These transcripts are also seen in all adult tissues analyzed. A larger transcript (12-14 kb) is expressed in prostate, testis, ovary, and colon in the adult. Expression is very low in adult brain tissue. Isoform 1 and isoform 2 are expressed in brain and retina. Isoform 2 is expressed ubiquitously.	



## UpingBio technology Co.,Ltd

**(** Tel: 400-999-8863 **(** Emall:Upingbio.163.com



Products Images			