

🔇 Tel: 400-999-8863 📼 Email:Upingbio.163.com

Website: www.upingBio.com

UBP2 rabbit pAb

Catalog No	YP-Ab-09622
Isotype	lgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	USP2 UBP41
Protein Name	Ubiquitin carboxyl-terminal hydrolase 2 (EC 3.4.19.12) (41 kDa ubiquitin-specific protease) (Deubiquitinating enzyme 2) (Ubiquitin thioesterase 2) (Ubiquitin-specific-processing protease 2)
Immunogen	Synthesized peptide derived from human UBP2 AA range: 452-502
Specificity	This antibody detects endogenous levels of human UBP2
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year Cytoplasm . Cytoplasm, perinuclear region . Localizes in the spermatid head in late-elongating spermatids in the thin area between the outer acrosomal membrane and the plasma membrane; [Isoform 4]: Nucleus . Membrane ; Peripheral membrane protein . Cytoplasm . Predominantly expressed at
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year Cytoplasm . Cytoplasm, perinuclear region . Localizes in the spermatid head in late-elongating spermatids in the thin area between the outer acrosomal membrane and the plasma membrane; [Isoform 4]: Nucleus . Membrane ; Peripheral membrane protein . Cytoplasm . Predominantly expressed at membranes Expressed in mesangial cells of the kidney and in different types of
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Cytoplasm . Cytoplasm, perinuclear region . Localizes in the spermatid head in late-elongating spermatids in the thin area between the outer acrosomal membrane and the plasma membrane; [Isoform 4]: Nucleus . Membrane ; Peripheral membrane protein . Cytoplasm . Predominantly expressed at membranes Expressed in mesangial cells of the kidney and in different types of
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Cytoplasm . Cytoplasm, perinuclear region . Localizes in the spermatid head in late-elongating spermatids in the thin area between the outer acrosomal membrane and the plasma membrane; [Isoform 4]: Nucleus . Membrane ; Peripheral membrane protein . Cytoplasm . Predominantly expressed at membranes Expressed in mesangial cells of the kidney and in different types of



🔇 Tel: 400-999-8863 📼 Emall:Upingbio.163.com

Website: www.upingBio.com

Products Images