

(Tel: 400-999-8863 **(** Emall:Upingbio.163.com



CUTC rabbit pAb

Catalog No	YP-Ab-09702
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	CUTC CGI-32
Protein Name	Copper homeostasis protein cutC homolog
Immunogen	Synthesized peptide derived from human CUTC AA range: 174-224
Specificity	This antibody detects endogenous levels of human CUTC
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000
0	
Concentration	1 mg/ml
Purity	1 mg/ml ≥90%
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year Cytoplasm . Nucleus . The overexpressed protein is detected in the cytoplasm.
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year Cytoplasm . Nucleus . The overexpressed protein is detected in the cytoplasm, and depending on the cell line, also in the nucleus.
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Cytoplasm . Nucleus . The overexpressed protein is detected in the cytoplasm, and depending on the cell line, also in the nucleus.
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Cytoplasm . Nucleus . The overexpressed protein is detected in the cytoplasm, and depending on the cell line, also in the nucleus.
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year Cytoplasm . Nucleus . The overexpressed protein is detected in the cytoplasm, and depending on the cell line, also in the nucleus. Ubiquitous.



UpingBio technology Co.,Ltd

📞 Tel: 400-999-8863 🗷 Email:Upingbio.163.com

Website:	www.upingBio.com	

Products Images