



# ARL3 rabbit pAb

<b>Catalog No</b>	YP-Ab-10019
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse;Rat
<b>Applications</b>	WB
<b>Gene Name</b>	ARL3 ARFL3
<b>Protein Name</b>	ADP-ribosylation factor-like protein 3
<b>Immunogen</b>	Synthesized peptide derived from human ARL3 AA range: 109-159
<b>Specificity</b>	This antibody detects endogenous levels of human ARL3
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
<b>Dilution</b>	WB 1:1000-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	
<b>Cell Pathway</b>	Golgi apparatus membrane; Peripheral membrane protein; Cytoplasmic side. Cytoplasm, cytoskeleton, spindle. Nucleus. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome. Cytoplasm. Cell projection, cilium . Detected predominantly in the photoreceptor connecting cilium. Present on the mitotic spindle. Centrosome-associated throughout the cell cycle. Not detected to interphase microtubules.
<b>Tissue Specificity</b>	Expressed in the retina. Strongly expressed in connecting cilium, the myoid region of the inner segments (IS) and in cone photoreceptors (at protein level).
<b>Function</b>	
<b>Background</b>	
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images