



AR α 2B Polyclonal Antibody

Catalog No	YP-Ab-13143
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	IF;ELISA
Gene Name	ADRA2B
Protein Name	Alpha-2B adrenergic receptor
Immunogen	The antiserum was produced against synthesized peptide derived from human Adrenergic Receptor alpha-2B. AA range:161-210
Specificity	AR α 2B Polyclonal Antibody detects endogenous levels of AR α 2B protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.
Concentration	1 mg/ml
Purity	\geq 90%
Storage Stability	-20°C/1 year
Synonyms	ADRA2B; ADRA2L1; ADRA2RL1; Alpha-2B adrenergic receptor; Alpha-2 adrenergic receptor subtype C2; Alpha-2B adrenoceptor; Alpha-2B adrenoceptor; Alpha-2BAR
Observed Band	
Cell Pathway	Cell membrane ; Multi-pass membrane protein . Interaction with RAB26, GGA1, GGA2 and GGA3 mediates transport from the Golgi to the cell membrane. .
Tissue Specificity	Pooled,
Function	function:Alpha-2 adrenergic receptors mediate the catecholamine-induced inhibition of adenylate cyclase through the action of G proteins. The rank order of potency for agonists of this receptor is clonidine > norepinephrine > epinephrine = oxymetazoline > dopamine > p-tyramine = phenylephrine > serotonin > p-synephrine / p-octopamine. For antagonists, the rank order is yohimbine > chlorpromazine > phentolamine > mianserine > spiperone > prazosin > alprenolol > propranolol > pindolol.,polymorphism:A rare polymorphic framshift in position 451 produces a protein of 542 residues.,similarity:Belongs to the G-protein coupled receptor 1 family.,
Background	This intronless gene encodes a seven-pass transmembrane protein. This protein is a member of a subfamily of G protein-coupled receptors that regulate neurotransmitter release from sympathetic nerves and from adrenergic neurons in



the central nervous system. [provided by RefSeq, Apr 2014],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Immunofluorescence analysis of HepG2 cells, using Adrenergic Receptor alpha-2B Antibody. The picture on the right is blocked with the synthesized peptide.