

🔇 Tel: 400-999-8863 📼 Emall:Upingbio.163.com

Ø Website: www.upingBio.com

CD7 (ABT-CD7) mouse mAb


Catalog No	YP-Ab-15249
Isotype	lgG
Reactivity	Human
Applications	IHC,WB
Gene Name	CD7
Protein Name	T-cell antigen CD7 (GP40) (T-cell leukemia antigen) (T-cell surface antigen Leu-9) (TP41) (CD antigen CD7)
Immunogen	Synthesized peptide derived from human CD7
Specificity	This antibody detects endogenous levels of human CD7. Heat-induced epitope retrieval (HIER) Citrate buffer of pH6.0 was highly recommended as antigen repair method in paraffin section
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Mouse, Monoclonal/IgG2a, Kappa
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Dilution	IHC-p 1:100-500, WB 1:200-1000
Concentration	1 mg/ml
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
•	
Storage Stability	
Storage Stability Synonyms	
Storage Stability Synonyms Observed Band	-20°C/1 year
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year Membrane; Single-pass type I membrane protein.
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year Membrane; Single-pass type I membrane protein. Liver,Muscle,Spleen, function:Not yet known.,similarity:Contains 1 Ig-like (immunoglobulin-like)
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year Membrane; Single-pass type I membrane protein. Liver,Muscle,Spleen, function:Not yet known.,similarity:Contains 1 Ig-like (immunoglobulin-like) domain.,subunit:Interacts with SECTM1., This gene encodes a transmembrane protein which is a member of the immunoglobulin superfamily. This protein is found on thymocytes and mature T cells. It plays an essential role in T-cell interactions and also in T-cell/B-cell
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	 -20°C/1 year Membrane; Single-pass type I membrane protein. Liver,Muscle,Spleen, function:Not yet known.,similarity:Contains 1 Ig-like (immunoglobulin-like) domain.,subunit:Interacts with SECTM1., This gene encodes a transmembrane protein which is a member of the immunoglobulin superfamily. This protein is found on thymocytes and mature T cells. It plays an essential role in T-cell interactions and also in T-cell/B-cell interaction during early lymphoid development. [provided by RefSeq, Jul 2008],



🔇 Tel: 400-999-8863 📼 Email:Upingbio.163.com

Ø Website: www.upingBio.com

Products Images






UpingBio technology Co.,Ltd

🔇 Tel: 400-999-8863 📼 Email:Upingbio.163.com

WebsIte: www.upingBio.com



Human tonsil tissue was stained with Anti-CD7 (ABT-CD7) Antibody