





## SIRT5 mouse mAb

货号	YP-mAb-18136
同位型	IgG
应用	WB
种属	Human;Mouse;Rat
靶点	SIRT5
基因名称	SIRT5 SIR2L5
蛋白名称	NAD-dependent protein deacylase sirtuin-5, mitochondrial (EC 3.5.1) (Regulatory protein SIR2 homolog 5) (SIR2-like protein 5)
免疫原	Synthesized peptide derived from human SIRT5
特异性	This antibody detects endogenous levels of SIRT5 at Human, Mouse,Rat
组成	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
来源	Monoclonal, mouse,IgG
稀释	WB 1:500-2000
纯化工艺	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
分子量	34kD
功能	NAD-dependent lysine demalonylase, desuccinylase and deglutarylase that specifically removes malonyl, succinyl and glutaryl groups on target proteins. Activates CPS1 and contributes to the regulation of blood ammonia levels during prolonged fasting: acts by mediating desuccinylation and deglutarylation of CPS1, thereby increasing CPS1 activity in response to elevated NAD levels during fasting. Activates SOD1 by mediating its desuccinylation, leading to reduced reactive oxygen species. Activates SHMT2 by mediating its desuccinylation. Modulates ketogenesis through the desuccinylation and activation of HMGCS2 (By similarity). Has weak NAD-dependent protein deacetylase activity; however this activity may not be physiologically relevant in vivo. Can deacetylate cytochrome c (CYCS) and a number of other proteins in vitro such as UOX.
细胞定位	Mitochondrion matrix. Mitochondrion intermembrane space. Cytoplasm, cytosol. Nucleus. Mainly mitochondrial. Also present extramitochondrially, with a fraction present in the cytosol and very small amounts also detected in the nucleus.; [Isoform 1]: Cytoplasm. Mitochondrion.; [Isoform 2]: Mitochondrion.
组织表达	Widely expressed.
浓度	1 mg/ml
储存	-15°C to -25°C/1 year(Do not lower than -25°C)
有关注意事项	Avoid repeated freezing and thawing!



## UpingBio technology Co.,Ltd

€ Tel: 400-999-8863 🛎 Email:UpingBio@163.com



使用建议

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Pio	oducts Images