



## CASC5/KNL1 mouse mAb

货号	YP-mAb-18344
同位型	IgG
应用	WB
种属	Human, Mouse,Rat
基因名称	CASC5 KIAA1570 KNL1
蛋白名称	Protein CASC5 (ALL1-fused gene from chromosome 15q14 protein) (AF15q14) (Bub-linking kinetochore protein) (Blinkin) (Cancer susceptibility candidate gene 5 protein) (Cancer/testis antigen 29) (CT29) (Kinetochore-null protein 1) (Protein D40/AF15q14)
免疫原	Synthesized peptide derived from human CASC5/KNL1
特异性	This antibody detects endogenous levels of CASC5/KNL1 at Human
组成	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
稀释	WB 1:500-2000
纯化工艺	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
分子量	258kD
功能	mitosis: it is essential for spindle-assembly checkpoint signaling and for correct chromosome alignment. Required for attachment of the kinetochores to the spindle microtubules. Directly links BUB1 and BUB1B to kinetochores. Part of the MIS12 complex, which may be fundamental for kinetochore formation and proper chromosome segregation during mitosis. Acts in coordination with CENPK to recruit the NDC80 complex to the outer kinetochore.
细胞定位	Nucleus. Chromosome, centromere, kinetochore. Weakly expressed in interphase nuclei. Expression increases from prophase to late anaphase, but greatly diminishes from the telophase and cytokinesis to early G1 phase of cell cycle.
组织表达	Highly expressed in testis, where it is localized in germ cells, in particular in spermatocytes and in the pre-acrosome of round spermatids. Detected in the acrosome of ejaculated spermatozoa. Detected in adult thymus, bone marrow, colon, small intestine, appendix and placenta, and in fetal liver and thymus.
浓度	1 mg/ml
储存	-15°C to -25°C/1 year(Do not lower than -25°C)
有关注意事项	Avoid repeated freezing and thawing!
使用建议	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images

