




## FABP4 Mouse mAb

|        |   |
|--------|---|
| 货号     | YP-mAb-18351  |
| 同位型    | IgG   |
| 应用     | WB  |
| 种属     | Human, Mouse,Rat  |
| 其他名称   | aP2; ALBP; AFABP; A-FABP; HEL-S-104; FABP4  |
| 免疫原    | Recombinant fusion protein containing a sequence corresponding to amino acids 1-132 of human FABP4 (NP_001433.1)  |
| 稀释     | WB 1:500 - 1:1000   |
| 纯化工艺   | Affinity purification   |
| 分子量    | 15kDa   |
| 背景     | <p>FABP4 encodes the fatty acid binding protein found in adipocytes. Fatty acid binding proteins are a family of small, highly conserved, cytoplasmic proteins that bind long-chain fatty acids and other hydrophobic ligands. It is thought that FABPs roles include fatty acid uptake, transport, and metabolism.</p> |
| 浓度     | 1 mg/ml   |
| 储存     | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.  |
| 有关注意事项 | Avoid repeated freezing and thawing!  |
| 使用建议   | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.   |

### Products Images



Western blot analysis of various lysates, using FABP4 Mouse mAb (A24429) at 1:1000 dilution.

Secondary antibody: HRP Goat Anti-Mouse IgG (H+L) (AS003) at 1:10000 dilution.

Lysates/proteins: 25ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 3s.