

€ Tel: 400-999-8863 🛎 Email:UpingBio@163.com





DDRGK1 mouse mAb

货号	YP-mAb-18355
同位型	IgG
应用	WB
种属	Human, Mouse
靶点	
基因名称	DDRGK1 C20orf116
蛋白名称	DDRGK domain-containing protein 1
免疫原	Synthesized peptide derived from human DDRGK1
特异性	This antibody detects endogenous levels of DDRGK1 at Human, Mouse
组成	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
来源	WB 1:500-2000
稀释	
纯化工艺	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
分子量	35kD
功能	Substrate adapter for ufmylation, the covalent attachment of the ubiquitin-like modifier UFM1 to substrate proteins, which plays a key role in reticulophagy (also called ER-phagy) . In response to endoplasmic reticulum stress, promotes recruitment of the E3 UFM1-protein ligase UFL1 to the endoplasmic reticulum membrane: in turn, UFL1 mediates ufmylation of proteins such as RPN1 and RPL26/uL24, promoting reticulophagy of endoplasmic reticulum sheets . Ufmylation-dependent reticulophagy inhibits the unfolded protein response (UPR) by regulating ERN1/IRE1-alpha stability . Ufmylation in response to endoplasmic reticulum stress is essential for processes such as hematopoiesis or inflammatory response (By similarity). Required for TRIP4 ufmylation, thereby regulating nuclear receptors-mediated. transcription . May play a role in NF-kappa-B-mediated transcription through regulation of the phosphorylation and the degradation of NFKBIA, the inhibitor of NF-kappa-B . Plays a role in cartilage development through SOX9, inhibiting the ubiquitin-mediated proteasomal degradation of this transcriptional regulator .
细胞定位	Endoplasmic reticulum . Endoplasmic reticulum membrane . Localizes to the endoplasmic reticulum membrane in response to endoplasmic reticulum stress
组织表达	Widely expressed (at protein level). In the brain, highest levels in medulla oblongata, followed by cerebral cortex, cerebellum and frontal lobe.
浓度	1 mg/ml
储存	-15°C to -25°C/1 year(Do not lower than -25°C)



UpingBio technology Co.,Ltd

© Tel: 400-999-8863 ■ Email:UpingBio@163.com



有关注意事项

Avoid repeated freezing and thawing!

使用建议

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images