



Wnt5b mouse mAb

Catalog No	YP-Ab-04507
Isotype	IgG
Reactivity	Transfected
Applications	WB
Gene Name	wnt5b
Protein Name	
Immunogen	Purified recombinant human Wnt5b protein fragments expressed in E.coli.
Specificity	Transfected Only.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using epitope-specific immunogen.
Dilution	wb dilution 1:1000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	MGC2648;Protein Wnt-5b;Wingless type MMTV integration site family, member 5B;WNT 5B;WNT 5B protein;Wnt5b;WNT5B protein;WNT5B_HUMAN.
Observed Band	45kD
Cell Pathway	Secreted, extracellular space, extracellular matrix.
Tissue Specificity	Brain,Muscle,
Function	function:Ligand for members of the frizzled family of seven transmembrane receptors.,function:Ligand for members of the frizzled family of seven transmembrane receptors. Probable developmental protein. May be a signaling molecule which affects the development of discrete regions of tissues. Is likely to signal over only few cell diameters.,similarity:Belongs to the Wnt family.,subunit:Interacts with PORCN.,
Background	The WNT gene family consists of structurally related genes which encode secreted signaling proteins. These proteins have been implicated in oncogenesis and in several developmental processes, including regulation of cell fate and patterning during embryogenesis. This gene is a member of the WNT gene family. It encodes a protein which shows 94% and 80% amino acid identity to the mouse Wnt5b protein and the human WNT5A protein, respectively. Alternative splicing of this gene generates 2 transcript variants. [provided by RefSeq, Jul 2008],




matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western blot detection of Wnt5b in CHO-K1 cell lysate (B) and CHO-K1 transfected by Wnt5b (A) cell lysate using Wnt5b mouse mAb (1:1000 diluted). Predicted band size: 45KDa. Observed band size: 45KDa.