

Website: www.upingBio.com

## Myc-Tag Monoclonal Antibody(3E8), FITC Conjugated

Catalog No	YP-Ab-04640
Isotype	IgG
Reactivity	Species independent
Applications	WB;ELISA;IP;IF
Gene Name	Мус Тад
Protein Name	Myc-Tag
Immunogen	
Specificity	Myc-Tag Monoclonal Antibody(3E8) FITC conjugated specially designed for your WB or IHC analysis.
Formulation	Liquid in PBS, pH 7.4, containing 0.02% sodium azide as preservative and 50% Glycerol.
Source	Monoclonal, Mouse IgG
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Dilution	Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows: IF: 1:1000.
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Мус
Observed Band	
Cell Pathway	
Tissue Specificity	
Function	
Background	
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## UpingBio technology Co.,Ltd

🔇 Tel: 400-999-8863 📼 Email:Upingbio.163.com



**Products Images**